

Package: correctref (via r-universe)

May 13, 2026

Type Package

Title Correct and Standardize References for Scientific Manuscripts

Version 0.0.2

Description Reads 'Word' documents containing incomplete bibliographic references and produces an updated file with standardized and complete references. The package provides functions to retrieve missing authors, titles, journal details, volume, issue, and page numbers. Digital object identifiers (DOIs) are retrieved using the 'CrossRef' application programming interface (API) <<https://api.crossref.org>>, and references are formatted following DOI-based citation standards as described by Paskin (2010) <[doi:10.1000/182](https://doi.org/10.1000/182)> and the 'citation.doi.org' service <<https://citation.doi.org>>. The package is intended to simplify reference preparation for scientific journal submissions.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.2

Depends R (>= 4.1.0)

Imports httr, jsonlite, stringr, officer

NeedsCompilation no

Author Umar Hussain [aut, cre]

Maintainer Umar Hussain <drumarhussain@gmail.com>

Config/pak/sysreqs libfontconfig1-dev libfreetype6-dev libfribidi-dev libharfbuzz-dev libicu-dev libjpeg-dev libpng-dev libtiff-dev libwebp-dev libxml2-dev libssl-dev

Repository <https://umarhussain-git.r-universe.dev>

Date/Publication 2026-01-12 18:50:26 UTC

RemoteUrl <https://github.com/cran/correctref>

RemoteRef HEAD

RemoteSha 53e95f875a620d3e2261bdb9af6dea56b6ae2880

Contents

correct_ref	2
Index	4

correct_ref	<i>Correct and Standardize References in a 'Word' Document</i>
-------------	--

Description

Reads a 'Word' document containing bibliographic references with missing or incomplete information (e.g., authors, title, year, volume, issue, or page numbers) and produces an updated document with standardized and completed references. Missing metadata are retrieved using the 'CrossRef' application programming interface (API), and digital object identifiers (DOIs) are added where available.

Usage

```
correct_ref(input_path, output_path, reference_lines = 50, style = "vancouver")
```

Arguments

input_path	Character string specifying the path to the input 'Word' (.docx) document containing incomplete references.
output_path	Character string specifying the path where the corrected 'Word' document will be written.
reference_lines	Integer specifying the number of lines at the end of the document that are treated as references.
style	Character string specifying the reference style (e.g., "vancouver").

Value

Writes a corrected 'Word' document to the location specified by output_path. The function returns invisible(NULL).

Examples

```
library(officer)

# Step 1: Create a temporary Word document with sample references
tmp_input <- file.path(tempdir(), "tmp_refs.docx")
doc <- read_docx()
doc <- body_add_par(doc, "1. Smith J. Some article. 2020;10(2):123-9.", style = "Normal")
doc <- body_add_par(doc, "2. Doe A. Another article. 2021;5(1):10-5.", style = "Normal")
print(doc, target = tmp_input)

# Step 2: Specify output path
```

```
tmp_output <- file.path(tempdir(), "updated_refs.docx")

# Step 3: Run the reference correction function
correct_ref(
  input_path = tmp_input,
  output_path = tmp_output,
  reference_lines = 2,
  style = "vancouver"
)

# Step 4: The corrected Word file is saved in tmp_output
tmp_output
```

Index

correct_ref, [2](#)